

To: Johnson, Kathleen[Johnson.Kathleen@epa.gov]
Cc: Salazar, Matt[Salazar.Matt@epa.gov]; Spiegelman, Nina[Spiegelman.Nina@epa.gov]
From: Jones, Joel E.
Sent: Thur 12/29/2016 2:04:11 AM
Subject: Re: Conditional Approval of Exide Technologies, Inc.'s Gantry Plan

Yes, Matt is working with Air Division staff on their request and has a meetings scheduled on 1/11 to discuss.

Sent from my iPhone

On Dec 28, 2016, at 5:15 PM, Johnson, Kathleen <Johnson.Kathleen@epa.gov> wrote:

Joel,

I just talked with Deb about this. I think Matt may already be working on the applicability letter, perhaps with Air Division. Please make sure that we coordinate with HQ – Phill's shop on this. Its important we get a rapid response so that the closure work can go forward expeditiously.

Kathleen H. Johnson

Director, Enforcement Division

U.S. EPA - Region 9

75 Hawthorne Street ENF-1

San Francisco, CA 94015

415/972-3873

johnson.kathleen@epa.gov

From: Jordan, Deborah

Sent: Wednesday, December 28, 2016 4:28 PM

To: Johnson, Kathleen <Johnson.Kathleen@epa.gov>; Adams, Elizabeth
<Adams.Elizabeth@epa.gov>

Subject: FW: Conditional Approval of Exide Technologies, Inc.'s Gantry Plan

Importance: High

Please see below Mohsen's request regarding the NESHAPs applicability decision when we issue it. Thanks.

From: Nazemi, Mohsen@DTSC [mailto:Mohsen.Nazemi@dtsc.ca.gov]
Sent: Wednesday, December 28, 2016 2:32 PM
To: Jordan, Deborah <Jordan.Deborah@epa.gov>; Spiegelman, Nina <Spiegelman.Nina@epa.gov>
Subject: Conditional Approval of Exide Technologies, Inc.'s Gantry Plan
Importance: High

Hi Debbie and Nina,

Thanks for your voice messages and sorry I wasn't able to pick up the phone, as I was on a couple of other conference calls. Please note that DTSC has issued our Conditional Approval of the Gantry System, with the caveat that Exide has to comply with any other requirements of US EPA and SCAQMD. Attached please find the Conditional Approval Letter that we sent to Exide yesterday regarding the Gantry System. Please let me know if you have any questions. Thanks again for all your help.

P.S. Can you please have your staff copy me on US EPA's response to Exide's December 14, 2016 NESHAP applicability letter (also copy attached as second attachment) once you have finalized your decision? Thanks.

Mohsen Nazemi, M.S., P.E.

Deputy Director


Cal EPA/Department of Toxic Substances Control

Brownfields & Environmental Restoration Program

Cypress (714) 484-5321/Sacramento (916) 445-7076

(714) 484-5323 fax

mohsen.nazemi@dtsc.ca.gov



From: Smith, Kim@DTSC

Sent: Tuesday, December 27, 2016 4:52 PM

To: john.hogarth@na.exide.com

Cc: Patel, Suhasini@DTSC <Suhasini.Patel@dtsc.ca.gov>; Ruttan, Peter@DTSC <Peter.Ruttan@dtsc.ca.gov>; Wetter, Matthew@DTSC <Matthew.Wetter@dtsc.ca.gov>; Myers, Perry@DTSC <Perry.Myers@dtsc.ca.gov>; Holman, Jennifer@DTSC <Jennifer.Holman@dtsc.ca.gov>; gwen.tellegen@na.exide.com; pgstratman@advancedgeoservices.com; jdijoseph@advancedgeoservices.com; daniel.henke@exide.com; nicolas.serieys@altaenviron.com; adejbakhsh@aqmd.gov; rvisser@sheppardmullin.com; jwhynot@aqmd.gov; Nazemi, Mohsen@DTSC <Mohsen.Nazemi@dtsc.ca.gov>; Carroll, Ann@DTSC <Ann.Carroll@dtsc.ca.gov>

Subject: Conditional Approval of Exide Technologies, Inc.'s Gantry Plan

Dear All,

This email is being sent on behalf of Mohsen Nazemi, Deputy Director, Brownfields and Environmental Restoration Program, DTSC.

Please find attached the Conditional Approval of Exide Technologies, Inc.'s Gantry Plan.

Thank you.

<removed.txt>

<Conditional Approval of Exide Technologies, Inc.'s Gantry Plan - December 27, 2016.pdf>

<NESHAP and Exide Title V Permit 12-14-16.pdf>